Hydrobiologia **375/376**, v–vii, 1998.
S. Baden, L. Pihl, R. Rosenberg, J.-O. Strömberg, I. Svane & P. Tiselius (eds),
Recruitment, Colonization and Physical–Chemical Forcing in Marine Biological Systems.

Contents

Preface ix

Topic 1: Recruitment and Colonization

Keynote speaker: Christopher D. Todd.
Larval supply and recruitment of benthic invertebrates: do larvae always disperse as much as we believe? 1–21

Recruitment in *Macoma balthica* after mild and cold winters and its possible control by egg production and shrimp predation
by J. J. Beukema, P. J. C. Honkoop & R. Dekker. 23–34

The spreading potential of polychaete larvae does not predict adult distributions; consequences for conditions of recruitment
by M. Bhaud 35–47

Regrowth of kelp and colonization of epiphyte and fauna community after kelp trawling at the coast of Norway
by H. Christie, S. Fredriksen & E. Rinde 49–58

Pentapora fascialis (Pallas) [Cheilostomata: Ascophora] colonization of one sublittoral rocky site after sea-storm in the northwestern Mediterranean
by S. Cocito, F. Ferdeghini & S. Sgorbini 59–66

The alternating recruitment pattern in *Ensis minor*, an exploited bivalve in the Gulf of Trieste, Italy
by D. Del Piero & R. Dacaprile 67–72

Recolonization patterns of meiobenthic communities in brackish vegetated and unvegetated habitats after induced hypoxia/anoxia
by A. Guerrini, M. A. Colangelo & V. U. Ceccherelli 73–87

Active habitat selection of megalopae and juvenile shore crabs *Carcinus maenas*: a laboratory study in an annular flume
by O. Hedvall, P.-O. Moksnes & L. Pihl 89–100

Do barnacle larvae respond to multiple settlement cues over a range of spatial scales?
by J. M. Hills, J. C. Thomason, J. L. Milligan & M. Richardson. 101–111

Local control of recruitment in an epifaunal community and the consequences to colonization processes
by R. W. Osman & R. B. Whitlatch 113–123

Recolonization dynamics in areas disturbed by bottom fishing gears
by F. Pranovi, O. Giovanardi & G. Franceschini 123–135
Vertical migration and selective tidal stream transport in the megalopa of the crab *Carcinus maenas*
by H. Queiroga. 137–149
Temporal fluctuation in the abundance of a semelid bivalve, *Theora fragilis* (A. Adams) in Maizuru Bay, Sea of Japan
by H. Saito, M. Ueno & I. Hayashi 151–163
Do hydrodynamic factors affect the recruitment of marine invertebrates in a macrotidal area?
by E. Thiébaut, Y. Lagadeuc, F. Olivier, J. C. Dauvin & C. Retière. 165–176
Effects of green algal mats on infaunal colonization of a New England mud flat – long-lasting but highly localized effects
by M. Thiel & L. Watling. 177–189
Hydrodynamic consequences of barnacle colonization
by J. Thomason, J. M. Hills, A. S. Clare, A. Neville & M. Richardson 191–201
The influence of epilithic microbial films on the settlement of *Semibalanus balanoides* cyprids – a comparison between laboratory and field experiments
by R. C. Thompson, T. A. Norton & S. J. Hawkins 203–216
Scale-dependent benthic recolonization dynamics: life stage-based dispersal and demographic consequences
by R. B. Whitlatch, A. M. Lohrer, S. F. Thrush, R. D. Pridmore, J. E. Hewitt, V. J. Cummings & R. N. Zajac. 217–226
Recolonization and succession in soft-sediment infaunal communities: the spatial scale of controlling factors
by R. N. Zajac, R. B. Whitlatch & S. F. Thrush. 227–240

Topic 2: Physical and Chemical Forcing on Marine Biological Systems

Keynote speaker: Lars Hagerman
Physiological flexibility: a necessity for life in anoxic and sulphidic habitats 241–254

Manganese in the haemolymph and tissues of the Norway lobster, *Nephrops norvegicus* (L.), along the Swedish west coast, 1993–1995
by S. P. Eriksson & S. P. Baden. 255–264
Do physical and chemical factors structure the macrobenthic community at a continental slope in the NE Atlantic?
by E. Flach & L. Thomsen. 265–285
Interactions between two deposit-feeding echinoderms: the spatangoid *Brissopsis lyrifera* (Forbes) and the ophiuroid *Amphiura chiajei* (Forbes)
by K. Hollertz, M. Sköld & R. Rosenberg 287–295
Resource limitation in soft sediments – differential effects of food and space in the association between the brittle-star *Amphiura filiformis* and the bivalve *Mysella bidendata*?
by A. B. Josefson 297–305

Macrobenthic metabolism as carbon and nitrogen fluxes in a coastal area exposed to strong tidal currents (Dover Strait, eastern English Channel)
by A. Migné & D. Davoult 307–315
Long-term changes in the diversity and faunal structure of benthic communities in the northern North Sea: natural variability or induced instability?
by T. H. Pearson & H.-P. Mannvik 317–329
Vertical migratory behaviour of the euphausiid, *Meganyctiphanes norvegica*, and its dispersion in the Kattegat Channel
by G. A. Tarling, J. B. L. Matthews, R. Saborowski & F. Buchholz 331–341
Vertical distribution, grazing and egg production of calanoid copepods during winter–spring in Gullmarsfjorden
by J. Titelman & P. Tiselius 343–351
An in situ experiment to investigate the modification of particulate matter and urea above a benthic sandy silt community in the Baltic Sea
by L. Thomsen & S. Jähmlich 353–361
Small-scale plankton patchiness in the Black Sea euphotic layer
by Y. N. Tokarev, R. Williams & S. A. Piontkovski 363–367
Pelagic–benthic coupling in the Bay of Fundy
by D. J. Wildish & G. B. J. Fader 369–380